



NATURAL PROTECTION

ADLER

Paint runs through our veins.

Oil and waxes for indoor

PRODUCT CATALOGUE

Good to know	4
Product overview	10
advanced Modified oils & waxes	14
natural Natural oils & waxes	22
care Care products	28
tools Tools for processing & care	30



www.co2-kompensiert.at/iupd/1000
CO₂-Kompensiert-ID: 2025-00042



Printed according to the guidelines of the Austrian eco-label "Druckerzeugnisse" (Printed products), Stern Druck GmbH, No. UW 1017

PUBLICATION DETAILS:

ADLER-Werk Lackfabrik Johann Berghofer GmbH & Co KG | Bergwerkstraße 22 | 6130 Schwaz
Tel. +43 5242 6922-0 | Fax +43 5242 6922-999 | info@adler-lacke.com | www.adler-lacke.com

we are natural



90 YEARS OF EXPERIENCE WITH WOOD OILS & WAXES

Wood lives, breathes and warms the soul. It represents the perfect choice for healthy living and creates a pleasant living atmosphere where people can find calm and relaxation. It is therefore all the more important that the beauty and purity of wood is protected in a natural way. Here at ADLER, we are passionate about wood and its protection and this motivates us day by day to develop the best possible solutions for our customers. Our Legno product line was specially designed to offer reliable protection by means of top-class oils and waxes. Many years of experience, qualified employees and the use of high-quality raw materials are the cornerstones of our smart oils and waxes.

With 90 years of experience to draw on, ADLER is a driving force in the field of wood oils and waxes. This reliable expertise enables us to offer a wide range of products for the most diverse applications: from floors and stairs to furniture and wooden structural elements indoors.

We are particularly proud of the positive feedback from our customers in the carpentry and furniture industry. They are often not only processors, but also sparring partners who extensively test our new products before they are launched on the market. A large number of reputable customers attest to our oil competence:





GOOD TO KNOW.

With oiled and waxed surfaces the wood looks and feels natural. A characteristic feature of oils and waxes is their "grain accentuation". It ensures that the colour and texture of the wood comes into its own. Compared to lacquered surfaces, oiled and waxed surfaces show their strengths mainly in their natural appearance and easier repair of scratches, dents and similar damage.

DIFFERENCES BETWEEN OILS & WAXES

Oils penetrate deep into the wood and accentuate the grain beautifully. This gives the wood a particularly vibrant appearance. Despite good penetration capacity, the pores remain open so that the wood can still breathe. The surface feels velvety and natural. Oils improve the resistance of the wood and repel dirt. For even more protection and a surface with a longer-lasting shine, we recommended waxing the oiled surface.

Waxes form a very thin protective layer across the surface. This layer provides a silky matt effect. A waxed surface can no longer be oiled. Because the thin wax layer closes up the pores and the oil can no longer be absorbed.

Even after years, damage such as scratches and stains can be easily repaired. However, a prerequisite for a long-lasting, beautiful result is regular care of the oiled or waxed surface.

good to know



Paint runs through our veins.

ADVANTAGES OF OILS & WAXES

- ✓ **consist mainly of natural, renewable raw materials**
- ✓ **preserve the natural look and feel of the wood**
- ✓ **allow the wood to breathe**
- ✓ **antistatic**
- ✓ **are easy to care for and can be easily refreshed**

MODIFIED AND NATURAL OILS & WAXES

advanced = modified

With ADLER's smart oils, the natural raw materials are modified during processing. Thereby certain properties are specifically improved, such as the drying speed.

natural = natural

The basis of ADLER's natural oils and waxes are renewable raw materials of plant origin.



PROTECTION & CARE

Matt, natural surfaces, earthy colours and noble design – these interior trends currently dominate our living space. Sustainability and environmental protection are also playing an increasingly central role in interior design. A natural-looking surface must nevertheless withstand daily stresses. It can only do so if it is well protected. Oils and waxes not only guarantee a natural-looking surface, but also provide protection in an ecological way. They protect the wood by reducing the absorption capacity of the surface and making it more difficult for liquids and dirt to penetrate. The surface is therefore more robust and resistant to external influences.

In order to maintain the quality and beauty of an oiled or waxed surface in the long term, appropriate cleaning and care is necessary:

If oiled wood is subjected to **heavy soiling**, for example with grease marks, a specialist cleaner such as our **Legno-Reiniger** should be used.

To freshen up and care for the surface, we recommend our **Legno-Pflegeöl** for furniture and **Legno-Holzbodenseife** for floors. These products have been specially developed for the cleaning and care of a large part of the ADLER Legno product range. With the exception of Legno Aqua-Öl und Legno Dura-Öl: in this case, we advise that you use Clean-Möbelpflege Plus for after-care and the original coating material for freshening up the surface.

For regular after-care, wipe the surface with a soft, dry, lint-free cloth. Please do not use microfibre cloths – these act like fine sandpaper and destroy the oiled surface!

good to know



Paint runs through our veins.

NATURAL & SAFE

ADLER doesn't merely pay lip service to quality, responsible action and social commitment. As is proven by countless European research and testing institutes, within whose frameworks the paint and varnish factory regularly undergoes strict inspections.



CLIMATE NEUTRAL
COMPANY

Certified by Fokus Zukunft / 12048
Climate-neutral through compensation
with climate protection certificates



OILS & WAXES FOR EVERY APPLICATION

The requirements for oils and waxes are to some extent very different and depend greatly on the application. For example, a piece of furniture must be able to withstand different stresses than a floor.




Furniture




Interior doors



Wall and ceiling elements



Flooring (indoors)



Stairs (indoors)

Requirements for furniture and wood coatings indoors

Surfaces in this field of application are exposed to mechanical and chemical stresses. Therefore, surfaces in this area must be protected both from mechanical influences such as scratches and from chemical influences such as wine or coffee stains. However, the **degree of stress will differ according to the area of use.**

The product's area of application is indicated below using the pictograms shown above.

When applying oils and waxes to the interior surfaces of cupboards or drawers, pay attention to possible odour nuisance. We therefore recommend that the respective Legno product be applied thinly at most once.

Requirements for coatings for wooden floors, parquet and stairs

Flooring and stairs are normally **exposed to greater mechanical stress** than furniture surfaces. Depending on the area of application – for example in public areas or in private homes – the stress on flooring or stairs varies greatly. Over time, signs of wear will inevitably appear. Oils offer the particular advantage that wear can be repaired and flooring or stairs can be restored to a more beautiful condition. Furthermore, requirements such as slip-resistance and non-skid properties play a central role in the coating of flooring and stairs.







The product's area of application is indicated below using the pictograms shown above.

good to know



APPLICATION TYPES

Traditionally, oils and waxes are wiped onto a surface. In addition, oils are often painted or rolled. Especially in recent years, ADLER's creative innovation hub has also made great progress in industrial applications. In addition to highly developed UV-drying oils for industry, ADLER offers a range of oils which can be applied by rolling, spraying and dipping. In the meantime, there are specially developed and matched oils for all application methods. On the following double page you will find a detailed table about our Legno products and the suitable application types.

					
Wiping	Painting	Rolling	Machine rolling	Spraying	Dipping
<p>tried and tested for single parts or commercial application</p>	<p>subsequent wiping off (depending on product)</p>	<p>quick and easy ideal for larger surfaces subsequent wiping off (depending on product)</p>	<p>ideal for industrial processing for parquet flooring and smooth components subsequent smearing or grinding in</p>	<p>rational processing for industrial and professional use subsequent wiping off (depending on product)</p>	<p>especially for moulded parts and mass production subsequent wiping off if necessary</p>

Under certain conditions, oil-soaked cloths or filter mats can tend to self-ignition and cause fires. Refer to the Safety Data Sheet for our products and take the following precautions: Soaked rags, cloths and polishing pads must be spread out after use, dried or preferably moistened with water and stored and disposed of in a tightly closed metal container.



CERTIFICATIONS

ADLER's coatings have gained certification from various European research and testing institutes. This also attests to ADLER's commitment to high-quality and environmentally friendly products.

	<p>The world's most advanced standard for safe, recyclable and responsible materials and products. Cradle to Cradle certified® products therefore provide the key to transforming the traditional linear economic model of production and consumption into a circular economy.</p>
	<p>Baubook is a database for building products that facilitates the use of healthy and environmentally friendly materials. It simplifies the provision of evidence for tenders with an environmental focus, for building certifications and for funding schemes, and delivers validated and well-structured data on building materials for the calculation of energy-related and environmental performance indicators.</p>
	<p>French ordinance DEVL1104875A regarding the marking of construction coating products for their emission of volatile pollutants: A+</p>
	<p>Products with this label meet at least one of the following standards: Resistant to saliva and perspiration (DIN 53160/1 and DIN 53160/2) Safety of toys (ÖNORM EN 71-3), suitable for use on children's toys</p>
	<p>Regulation (EC) No. 1935/2004 sets out EU-wide binding requirements for materials and objects that come into contact with food. It defines standards for labelling, traceability and safety and provides assurance that the materials in question will not release any ingredients into the food that would pose a risk to human health, change the composition of the food or impair its smell or taste.</p>
	<p>Food-safe surface treatment: used in accordance with the confirmation issued by OFI Technologie & Innovation GmbH on the coating of wooden items that may come into temporary contact with food.</p>
	<p>Slip-resistance ratings are awarded in accordance with the testing standard DIN 16165. The higher the slip-resistance rating, the better the slip resistance. Slip-resistance ratings are as follows: "no slip-resistance rating, R9, R10, R11, R12, R13</p>

good to know



SUSTAINABILITY LABEL

ADLER green is the label used for the most sustainable coatings in the ADLER range. In line with the UN's Sustainable Development Goals, ADLER is pursuing a clear and consistent strategy for a responsible approach to business that is aligned with environmental and climate goals. All the products are objectively tested according to three categories: environment, health & safety and lifespan. Only products that perform well in all these areas are allowed to carry the "green" logo.



Environment

high percentage of renewable raw materials
small carbon footprint
without the addition of environmentally harmful substances low VOC content



Health & Safety


without the addition of allergens or substances that are hazardous to health
can be used without any
Using the paint/varnish



Lifespan

long shelf life
highly durable
good colour stability

Product overview

Product	Product no.	Base	Grain accentuation
advanced			
Legno Öl	7006000200 Farblos 7006050000 Weiß	modified	strong
Legno Color	50875 Color4You 	modified	–
Legno Metallic-Öl	7046112793 Gold 7046112794 Silber	modified	–
Legno Zirbenöl	7028000200	modified	strong
Legno Wachs	7008000210	modified	moderate
Legno Dura-Öl	7035000200	modified	moderate
Legno Parkettöl	7004000200	modified	moderate
Innolux Vita-Oil Multi	2791000107	UV – natural	very strong
natural			
Legno Hartwachsöl	7002000200	natural	very strong
Legno Smart-Öl	7045000200 Farblos available in a wide range of colours	natural	very strong
Leinölfirnis	7020000210	natural	very strong
Legno Natura-Öl	7019000210	natural	strong
Legno Aqua-Öl	7030000200	natural water-based	slight
Legno Hartöl	7032000200	natural	very strong
Legno Walzöl	7005000200	natural	very strong
care			
Legno-Pflegeöl:	7009000210	modified	strong
Legno Reiniger	7003000210	Solvent	–
Legno-Holzbodenseife	7031000210	natural	slight



Wiping



Painting
with a brush



Rolling



Machine rolling



Spraying with
Cup gun
or airless



Dipping

Primary method of application*	Chemical Resistance	Drying	Stress
<hr/>			
<hr/>			

*For other possible methods of application, please refer to the technical data sheet for the product in question



advanced





Anrei



LEGNO ÖL

Legno Öl is user-friendly and fast drying and is suitable for all surfaces made from soft or hardwoods in interior spaces. It penetrates deep into the surface, has a water-resistant effect and emphasises the natural texture of the wood by a very good grain accentuation. Legno Öl is odourless and will not self-ignite. Moreover, Legno-Öl is also suitable for coating children's toys as well as wooden items that may occasionally come into contact with food.

SPECIAL PROPERTIES

- **quick drying: 2 Applications possible in one day**
- **resistant, water-resistant and dirt-repellent**
- **Resistant to saliva and perspiration (DIN 53160-1 and DIN 53160-2)**
- **Safety of toys (ÖNORM EN 71-3)**
- **not self-igniting**
- **emission-tested construction product in accordance with DIBt principles**
- **Food-compatible surface treatment**
- **Anti-slip class R10 (BGR 181 and DIN EN 16165)**

AREAS OF APPLICATION



for the coating of furniture and interior finishing exposed to normal levels of stress: Bedroom and living room furnishings

Interior doors



Product no. 7006000200 Colourless
7006050000 Weiß

Containers 750 ml, 2.5 l, 5 l

Application





Current trend colours




LEGNO COLOR

Those who opt for natural wood finishes do not have to go without a variety of colours. With Legno Color, ADLER brings you an oil that lets you realise your individual interior design ideas without any restrictions, as it can be tinted into a wide range of different shades. This enables elegant colours without covering the texture of the wood. No overlaps occur even on large areas. Instead the result is an even, uniform appearance. After adding colour with Legno Color, we recommend treating the surface with Legno Öl, Legno Wachs, Legno Hartwachsöl or Legno Smart-Öl. The positive properties of Legno Color and the other Legno products complement each other perfectly.

SPECIAL PROPERTIES

- can be tinted in many colours
- even colouring
- good water resistance
- Resistant to saliva and perspiration (DIN 53160-1 and DIN 53160-2)

AREAS OF APPLICATION



for the coating of furniture and interior finishing exposed to normal levels of stress: Bedroom and living room furnishings

Wooden floors in (private) living spaces



Color4You

Product no. 50875 W30, base for tinting

Containers 750 ml, 2.5 l

Application



advanced



LEGNO METALLIC-ÖL

Legno Metallic-Öl provides the ideal solution if you want to create unique metallic effects on wooden surfaces. Available in both Gold and Silber, it allows you to retain the natural feel of the wood while enhancing it with a special effect. Specially developed to create a metallic effect that emphasises the wood pores, Legno Metallic-Öl is ideally suited to furniture surfaces that are subject to low to normal levels of wear and for interior finishing. It gives wood an unusual look and combines aesthetic versatility with a high-quality finish.

SPECIAL PROPERTIES

- Achieves a variety of metallic effects
- Available in both Gold and Silber
- Easy to use
- Intensity of the effect can be adjusted as desired by mixing with Legno Öl 7006

AREAS OF APPLICATION



for surfaces that are subject to low and normal levels of wear in furniture and interior finishing:

Bedroom and living room furnishings

not suitable for surfaces subject to greater mechanical stress



Product no. 7046112793 Gold
7046112794 Silber

Container 750 ml

Application





LEGNO ZIRBENÖL

Swiss pine wood has a positive effect on well-being. Especially in bedrooms and recreation rooms, Swiss pine is enjoying increasing popularity. Legno Zirbenöl was developed especially for use on Swiss pine. As the product contains Swiss pine oil, the natural properties of the Swiss pine wood and the characteristic scent of the Swiss pine are preserved. The oil is quickly absorbed, has a water-repellent effect and protects the furniture from stains. To preserve the natural beauty and aroma of Swiss pine in the long term, we recommend regular after-care with Legno Zirbenöl.

SPECIAL PROPERTIES

- natural Swiss pine oil with pleasant feel
- simple usage
- quick drying and water-repellent
- Resistant to saliva and perspiration (DIN 53160-1 and DIN 53160-2)

AREAS OF APPLICATION



for surfaces that are subject to low levels of wear in furniture and interior finishing: Bedroom and living room furnishings



Product no. 7028000200

Containers 750 ml, 2.5 l

Application



advanced



LEGNOWACHS

Legno Wachs creates a protective film across the wood surface that is water and dirt-repellent. It gives the surface a uniform appearance and a velvety soft feel. Particularly pleasant surfaces are achieved if the wax is polished with a brush with leather inserts after overnight drying. Important: Legno Wachs is not self-igniting!

SPECIAL PROPERTIES

- simple usage
- quick drying
- noble appearance
- velvety soft feel
- not self-igniting
- Resistant to saliva and perspiration (DIN 53160-1 and DIN 53160-2)

AREAS OF APPLICATION



for surfaces that are subject to low levels of wear in furniture and interior finishing: Bedroom and living room furnishings

not suitable for surfaces subject to greater mechanical stress



Product no. 7008000210

Containers 750 ml, 5 l

Application





advanced



LEGNO DURA-ÖL

Optimal protection – that is what Legno Dura-Öl stands for. This product combines the best properties from the worlds of oils and varnishes.

Legno Dura-Öl is extremely hard-wearing and therefore also suitable for surfaces that will be subject to heavier wear and require a greater degree of protection as well as a natural look and a pleasant feel.

SPECIAL PROPERTIES

- natural surface and excellent protection
- very good chemical resistance
- low tendency to gloss
- natural feel
- elegant gradient
- universal processability
- no wiping off necessary!
- Resistant to saliva and perspiration (DIN 53160-1 and DIN 53160-2)

AREAS OF APPLICATION



for surfaces in furniture and interior finishing that are subject to normal and heavier wear


when used as a 2C product with Legno Hardener 7084, also suitable for floors and staircases.



Product no. 7035000200

Containers 750 ml, 2.5 l, 10 l

Application





Paul Sebesta



LEGNOPARKETTÖL

This dull matt oil is very quick drying and is perfectly suitable for use in the parquet industry. It has good chemical and mechanical resistance. Legno Parkettöl is resistant to rubber abrasion and its key properties include extremely good water resistance. In addition to a very good filling power, this oil provides a pleasant feel.

SPECIAL PROPERTIES

- fast-drying oil
- excellent penetration capacity
- good grain accentuation of the wood
- very good filling performance
- very good water resistance
- for the industrial surface treatment of hardwoods and softwoods
- Resistant to saliva and perspiration (DIN 53160-1 and DIN 53160-2)

AREAS OF APPLICATION



for the industrial serial coating of oiled finished parquet elements



RESISTANT TO SALIVA AND PERSPIRATION



EMMISSIONEN IN DER INNENRAUMLUFT
A+ A B C

Product no. 7004000200
Special colours on request

Container 10 l

Application



advanced



Proyer & Proyer Architekten / Martin Steinkellner




INNOLUX VITA-OIL MULTI

Innolux Vita-Oil is a UV-curing oil on the basis of renewable raw materials. The coating has all the advantages of a natural oil surface: It retains the natural character of the wood and ensures very good grain accentuation and excellent pore wetting. Innolux Vita-Oil Multi has outstanding chemical and mechanical resistance.

SPECIAL PROPERTIES

- reactive UV-curing oil
- excellent grain accentuation and pore wetting
- exceptional chemical resistance
- very good stackability, particularly scratch-resistant
- suitable for the industrial serial coating
- Multi-layer oil for the coating of furniture surfaces and parquet
- Resistant to saliva and perspiration (DIN 53160-1 and DIN 53160-2)

AREAS OF APPLICATION



Application area according to
ÖNORM A 1610-12 : II-IV

Innolux Vita-Oil Multi was developed for industrial roller application and is ideal for use in the industrial series coating of prefinished parquet elements or for open-pore coating of surfaces in furniture and interior finishing, where the aim is to retain the natural appearance of the wood.



RESISTANT TO SALIVA
AND PERSPIRATION



EMPEFENGEN IN DER INNENRAUMLUFT
A+
A B C

Product no. 2791000107

Container 10 kg

Application



natural






LEGNOHARTWACHSÖL

Legno Hartwachsöl is made from natural, renewable raw materials and brings together the positive characteristics of both oils and waxes. This high-solid product is particularly environmentally friendly due to its high solid content (> 97 %). In comparison to the other Legno products, one coat of Legno Hartwachsöl is generally adequate.

SPECIAL PROPERTIES

- particularly environmentally friendly high-solid product
- very good grain accentuation with only one application
- resistant, water-resistant and dirt-repellent
- Safety of toys (ÖNORM EN 71-3)
- declared in baubook
- Resistant to saliva and perspiration (DIN 53160-1 and DIN 53160-2)

AREAS OF APPLICATION



for the coating of furniture and interior finishing exposed to normal levels of stress: Bedroom and living room furnishings and wooden floors



Product no. 7002000200

Containers 750 ml, 2.5 l

Application





LEINÖLFIRNIS

This product is a high-quality boiled linseed oil in accordance with EN ISO 150, which is suitable for both hard and softwoods. The oil penetrates well into the wood and evens out areas with varying degrees of absorption. This makes it particularly water-repellent.

SPECIAL PROPERTIES

- natural, siccated linseed oil
- good drying speed
- penetrates quickly into the wood
- strong grain accentuation
- water-repellent effect
- Equalisation of the different absorption capacities
- Resistant to saliva and perspiration (DIN 53160-1 and DIN 53160-2)

AREAS OF APPLICATION



for the surface treatment of furniture and windows in the sector of listed buildings, artists' paints and for the modification of limewash paints



Product no. 7002000210

Containers 500 ml, 1 l, 5 l

Application



natural



Forcher Tirol

Standard colours

Hebe	Fortuna	Kronos
Selene	Uranus	Moros
Thor	Athene	Herakles
Eros	Pan	Artemis
Colourless	Hades	




LEGNO SMART-ÖL

Legno Smart-Öl brings you everything you could wish for: just one application of this natural, high-solids 2C oil gives you reliable protection for surfaces that are subject to a high degree of wear, as well as intense colours and a luxurious feel. A broad palette of standard colours allows you to either underline the natural beauty of the wood or create some unique highlights. Suitable for both furniture and floors, Legno Smart-Öl gives you an individual finish while also providing long-lasting, natural protection to wooden surfaces.

SPECIAL PROPERTIES

- Perfect protection with just one coat
- Available in Colourless and a wide range of colours
- Efficient processing thanks to one-time application
- High chemical and mechanical resistance
- Resistant to saliva and perspiration (DIN 53160-1 and DIN 53160-2)
- Safety of toys (ÖNORM EN 71-3)
- Anti-slip class R11 (DIN EN 16165)

AREAS OF APPLICATION



for surfaces that are subject to normal and heavier wear in furniture and interior finishing.

Interior doors, wooden floors and staircases in (private) living spaces.



Product no. 7045000200 Colourless available in a wide range of colours

Containers 1 l, 2,75 l

Application



natural



LEGNO AQUA-ÖL

The special feature of Legno Aqua-Öl is the lower grain accentuation compared to a classic oil, which makes the surface look natural. Legno Aqua-Öl is free of solvents and plasticisers. In addition to ensuring a pleasant, luxurious feel, the product also offers good surface protection. These properties and the high proportion of renewable raw materials make this water-based wood oil unique.

SPECIAL PROPERTIES

- water-based, ecological wood oil based on renewable raw materials
- Cradle to Cradle Certified® silver certification
- matt surface with low grain accentuation
- quick drying and good surface protection
- Freshen up as and when required with Legno-Aqua-Öl
- Resistant to saliva and perspiration (DIN 53160-1 and DIN 53160-2)

AREAS OF APPLICATION




for furniture and interior finishing in living spaces that are subject to low to normal wear, such as bedrooms and living rooms



Product no. 7030000200

Containers 750 ml, 2.5 l, 22 l

Application





LEGNOHARTÖL

The combination of different natural raw materials used in Legno Hartöl allows it to be used in a wide range of ways on hard and softwoods. The oil accentuates the grain beautifully and feels pleasantly natural. It penetrates particularly well into the wood and therefore has good water resistance.

SPECIAL PROPERTIES

- excellent grain accentuation
- excellent penetration capacity
- high transparency
- good water resistance
- pleasant feel
- for industrial application
- Resistant to saliva and perspiration (DIN 53160-1 and DIN 53160-2)

AREAS OF APPLICATION



for furniture, interior finishing, wall panelling and wooden ceilings



Product no. 7032000200

Containers 10 l, 200 l

Application



natural



LEGNOWALZÖL

If you work in industry and want to create natural-looking oiled surfaces, Legno Walzöl is just the right product for you. Legno Walzöl is made from a mix of oil and wax, thereby combining the positive qualities of both oils and waxes.

SPECIAL PROPERTIES

- oil-wax combination based on natural raw materials
- for the industrial surface treatment of hardwoods and softwoods
- excellent penetration capacity
- excellent grain accentuation of the wood
- optimal filling power and surface smoothness
- single application and easy to polish
- Resistant to saliva and perspiration (DIN 53160-1 and DIN 53160-2)

AREAS OF APPLICATION



for surfaces that are subject to low levels of wear in furniture and interior finishing: Bedroom and living room furnishings



Product no. 7005000200

Containers 5 l, 22 l

Application





LEGNO REINIGER & LEGNO PFLEGEÖL

Legno Reiniger and Legno Pflegeöl were specially developed for the cleaning and after-care of oiled surfaces in interior spaces. Stubborn dirt and grease can be removed with the mild-odour Legno Reiniger. With its outstanding cleaning performance, Legno Reiniger can also be used to deal with greasy marks. Our universal Legno Pflegeöl freshens up oiled wooden surfaces, quickly penetrating deep into the surface. The care oil is distributed thinly and evenly on the piece of furniture simply by wiping.

SPECIAL PROPERTIES

- simple usage
- cleans and refreshes wood surfaces
- mild odour
- Legno-Pflegeöl is quickly absorbed
- Legno-Pflegeöl: Food-compatible surface treatment

AREAS OF APPLICATION

for the cleaning and care of oiled furniture in living areas and surfaces in interior finishing

applies for Legno Pflegeöl:



Set 702900021001
Contents Legno Reiniger 100 ml
 Legno-Pflegeöl: 100 ml
 Abrasive fleece, cleaning cloth and care instructions

	Reiniger	Pflegeöl
Product no.	7003000210	7009000210
Containers	250 ml, 1 l	250 ml

Application





LEGNO HOLZBODENSEIFE

Our high-quality Legno-Holzbodenseife is the perfect product for the regular cleaning and after-care of oiled, waxed or lye-treated wood and parquet flooring, as well as oiled cork and laminate flooring in interior spaces. The high cleaning power removes dirt quickly and easily. The care concentrate contains natural vegetable fats, which clean and care for the floor with a moisturising effect. It has a neutral pH-value and an antistatic effect. Legno Holzbodenseife leaves behind a silky matt protective film.

SPECIAL PROPERTIES

- simple usage
- cleans, cares for and refines wood and parquet flooring over the long term
- universally applicable – also for other oiled areas, such as panelling
- pleasant matt effect
- antistatic

AREAS OF APPLICATION

for oiled, waxed and leached wood and parquet flooring, oiled cork flooring and laminate flooring



Product no. 7031000210

Containers 1 l, 2,5 l

Application



tools



MULTI-FLEX WORK GLOVES*

Professional-quality seamless fine knit in nylon spandex with nitrile microfoam coating and nitrile studs. The gloves offer high abrasion resistance, excellent tactile sensitivity, are liquid repellent and resistant to oils and greases.

- ✓ Excellent tactile sensitivity and grip on smooth surfaces
- ✓ Breathable



Size	Article number	SU
Size 9	956800030117	12 pairs
Size 10	956800030217	
Size 11	956800030317	

SPECIAL BRUSH, SOLVAMAXX PLUS

Professional-quality brush for solvent-based varnishes and glazes. This special paintbrush gives you perfect coating results with no visible brush strokes. It has very fine polyester bristles and is solvent-resistant.



Size	Article number	SU
50 mm	952500030011	1 piece
100 x 30 mm	952500030111	1 piece

HOLDER AND PADS FOR APPLYING OIL

The 13 x 9 cm pad holder with ergonomic handle is intended for use with the yellow oil pads for manual application of wood oil.



Description	Article number	SU
Oil pad holder	953200030111	1 piece
Oil pad	953300030117	10 pcs.

Tools for Processing and care



CATALOGUE
ADLER professional equipment



PROFESSIONAL FOAM PAINT ROLLER

This paint roller is made from extra-fine foam and is therefore ideal for the application of synthetic resin paints/varnishes and is under certain conditions solvent-resistant

- ✓ No bubbles when painting/ varnishing
- ✓ Made of extra-fine foam



Size	Article number	SU
100 mm	958400030017	10 pcs.

PLUG-IN BRACKET FOR PAINT ROLLER

This frame is intended to be used with our paint rollers.
It is made of metal with a plastic handle.

- ✓ Handle is comfortable to hold
- ✓ Rustproof metal



Size	Article number	SU
100 mm	951200030011	1 piece
250 mm	951200030111	

SOFT 2-PLY CLEANING PAPER, WHITE

2-ply cellulose paper for gentle cleaning and care of delicate surfaces. The cleaning paper is suitable for both wet and dry cleaning.

- ✓ Lint-free roll of cleaning cloths
- ✓ Embossed and perforated



Article number	SU
966100030017	2 rolls with 900 sheets per roll



Paint runs through our veins.

90 years ago, Johann Berghofer laid the foundation stone for ADLER and work was started to develop its own paints.

Much has changed since that time, but one thing has stayed the same: our passion for colour, which drives us day after day to work on the perfect surface coating.

Paint runs through our veins.



facebook.com/adlerlacke



instagram.com/adlerlacke_official



youtube.com/@AdlerLacke

ADLER-COATINGS.COM

ADLER-Werk Lackfabrik · Johann Berghofer GmbH & Co KG
Bergwerkstraße 22 · A-6130 Schwaz/Tirol
T. +43 5242 6922-0 · info@adler-lacke.com

ADLER Deutschland GmbH · Kunstmühlstr. 14 · D-83026 Rosenheim · T. +49 8031 304 5174

ADLER Lack AG · Etzelstraße 5 · CH-8856 Tuggen · T. +41 55 465 2121

ADLER Italia S.r.l. · Via per Marco 12/D · I-38068 Rovereto · T. +39 0464 425 308

ADLER Polska Sp. z o.o. · ul. Tyniecka 229 · PL-30-376 Kraków · T. +48 12 252 4001

ADLER Česko s.r.o. · Jihlavská 770/27 · CZ-664 41 Troubsko · T. +420 731 725 957

ADLER Slovensko s.r.o. · Montážna 3 · SK-971 01 Prievidza · T. +421 46 5199 621

ADLER Benelux BV · De Boelakkers 12 · NL-5591 RA Heeze · T. +31 85 064 2020



07-2025 | 189410070401