


RASVJETA I UTIČNICE




LED rasvjeta - PROFILI



Traka širine do 12mm





Artikl	Naziv	MJ
THLEDPN2ALU	GLAX – NASADNI ALUM PROFIL – 2metra	KOM
THLEDPFNZALU	FLAT ZAVRŠETAK ZA NASADNI PROFIL – SIVI	KOM
THLEDPOF2	GLAX – POKROVNA OBLOGA – FLAT 2metra	KOM
THLEDPOF3	GLAX – POKROVNA OBLOGA – FLAT 3metra	KOM



Artikl	Naziv	MJ
THLEDPN2ALUM	GLAX – NASADNI ALUM PROFIL – 2metra - ALU MINI	KOM
THLEDPN2BIJELIM	GLAX – NASADNI ALUM PROFIL – 2metra - BIJELI MINI	KOM
THLEDPN2CRNIM	GLAX – NASADNI ALUM PROFIL – 2metra - CRNI MINI	KOM
THLEDPN3ALUM	GLAX – NASADNI ALUM PROFIL – 3metra - ALU MINI	KOM
THLEDPN3BIJELIM	GLAX – NASADNI ALUM PROFIL – 3metra - BIJELI MINI	KOM
THLEDPN3CRNIM	GLAX – NASADNI ALUM PROFIL – 3metra - CRNI MINI	KOM

Artikl	Naziv	MJ
THLEDPFNZBIJELIM	FLAT ZAVRŠETAK ZA NASADNI PROFIL – BIJELI - MINI	KOM
THLEDPFNZCRNIM	FLAT ZAVRŠETAK ZA NASADNI PROFIL – CRNI - MINI	KOM
THLEDPFNZALUM	FLAT ZAVRŠETAK ZA NASADNI PROFIL – SIVI - MINI	KOM


Artikl	Naziv	MJ
THLEDPOF2M	GLAX – MINI POKROVNA OBLOGA – FLAT 2metra	KOM
THLEDPOF3M	GLAX – MINI POKROVNA OBLOGA – FLAT 3metra	KOM
THLEDPOFC3M	GLAX – MINI POKROVNA OBLOGA FLAT – CRNA 3metra	KOM



Artikl	Naziv	MJ
THLEDPU2ALU	GLAX – UKOPNI ALUM.PROFIL – 2metra	KOM
THLEDPU3ALU	GLAX – UKOPNI ALUM.PROFIL – 3metra	KOM
THLEDPU2BIJELI	GLAX – UKOPNI ALUM.PROFIL BIJELI – 2metra	KOM
THLEDPU3BIJELI	GLAX – UKOPNI ALUM.PROFIL BIJELI – 3metra	KOM
THLEDPU2CRNI	GLAX – UKOPNI ALUM.PROFIL CRNI – 2metra	KOM
THLEDPU3CRNI	GLAX – UKOPNI ALUM.PROFIL CRNI – 3metra	KOM

Artikl	Naziv	MJ
THLEDPOF2	GLAX – POKROVNA OBLOGA – FLAT 2metra	KOM
THLEDPOF3	GLAX – POKROVNA OBLOGA – FLAT 3metra	KOM
THLEDPOFC3	GLAX – POKROVNA OBLOGA – FLAT CRNA 3metra	KOM

Artikl	Naziv	MJ
THLEDPFU2BIJELI	FLAT ZAVRŠETAK ZA UKOPNI PROFIL - BIJELI	KOM
THLEDPFU2CRNI	FLAT ZAVRŠETAK ZA UKOPNI PROFIL – CRNI	KOM
THLEDPFU2ALU	FLAT ZAVRŠETAK ZA UKOPNI PROFIL – SIVI	KOM





Artikl	Naziv	Mj
THLEDPK2ALU	GLAX – KUTNI ALUM PROFIL – 2metra	KOM
THLEDPK2BIJELI	GLAX – KUTNI ALUM PROFIL BIJELI – 2metra	KOM
THLEDPK2CRNI	GLAX – KUTNI ALUM PROFIL CRNI – 2metra	KOM




Artikl	Naziv	Mj
THLEDPKF2	GLAX – POKROVNA OBLOGA – FLAT 2metra	KOM

Artikl	Naziv	Mj
THLEDPFKZBIJELI	FLAT ZAVRŠETAK ZA KUTNI PROFIL - BIJELI - trokutasti (L ili D)	KOM
THLEDPFKZCRNI	FLAT ZAVRŠETAK ZA KUTNI PROFIL - CRNI - trokutasti (L ili D)	KOM
THLEDPFKZALU2	FLAT ZAVRŠETAK ZA KUTNI PROFIL - SIVI - trokutasti (L ili D)	KOM


LED rasvjeta - 12V trake i napajanje



Artikl	Naziv	MJ	karatkeristike
THLEDT38H	LED TRAKA 5m (300kom dioda), HLADNO BIJELA 3,8 W (6500 K)	KOM	IP20, 12VDC, 360lm/m, 60 LED/m, 3,8W/m
THLEDT38T	LED TRAKA 5m (300kom dioda), TOPLO BIJELA 3,8 W (3200 K)	KOM	IP20, 12VDC, 390lm/m, 60 LED/m, 3,8W/m




Artikl	Naziv	MJ	karatkeristike
RJLEDCOB40-HB	Shine Led traka COB , hladno bijela, 40W, IP20, 8mm, 5 m, 12V	KOM	IP20, 12VDC, 800lm/m, COB LED/m, 8W/m
RJLEDCOB40-N	Shine Led traka COB , neutralno bijela, 40W, IP20, 8mm, 5 m, 12V	KOM	IP20, 12VDC, 800lm/m, COB LED/m, 8W/m
RJLEDCOB40-TB	Shine Led traka COB , toplo bijela, 40W, IP20, 8mm, 5 m, 12V	KOM	IP20, 12VDC, 800lm/m, COB LED/m, 8W/m



Artikl	Naziv	MJ	karatkeristike
RJLEDCOB60-HB	Shine Led traka COB , hladno bijela, 60W,IP20, 8mm, 5 m, 12V	KOM	IP20, 12VDC, 1350lm/m, COB LED/m, 12W/m
RJLEDCOB60-N	Shine Led traka COB , neutralno bijela, 60W, IP20, 8mm, 5 m, 12V	KOM	IP20, 12VDC, 1350lm/m, COB LED/m, 12W/m
RJLEDCOB60-TB	Shine Led traka COB , toplo bijela, 60W,IP20, 8mm, 5 m, 12V	KOM	IP20, 12VDC, 1350lm/m, COB LED/m, 12W/m



Artikl	Naziv	MJ	Dimenzije (LxWxH)
THLEDTRPLUS15W	LED TRANSFORMATOR PRO+ 15W, 12V	KOM	90x40x24 mm
THLEDTRPLUS36W	LED TRANSFORMATOR PRO+ 36W, 12V	KOM	147x48x24 mm
THLEDTR54W	LED TRANSFORMATOR 54W, 12V	KOM	155x53x30





Kabel zasilajacy w zestawie!



Artikl	Naziv	MJ	Dimenzije (LxWxH)
RJLEDTR12V60W	MASTER SLIM LED transformator 12V, 60W, (6 mini AMP)	KOM	172x61x19 mm

LED rasvjeta - 24V trake i napajanje



FREE CUT - traka se reže na bilo kojoj poziciji

EASY KLIK - spajanje na napajanje na mini AMP priključak




Artikl	Naziv	MJ	karakteristike
THLEDCOB-N	Led traka COB FREE CUT 24V-9,6W/m , neutral (4000K)	KOM	IP20, 24 VDC, 880lm/W, COB 528 LED/m, 11W/m
THLEDCOB-TB	Led traka COB FREE CUT 24V-9,6W/m , toplo bijela (2700K)	KOM	IP20, 24 VDC, 880lm/W, COB 528 LED/m, 11W/m




Artikl	Naziv	MJ	Dimenzije (LxWxH)
THLED24V20W	Led transformator 24V,20W,(4 mini AMP) 129X42X16mm	KOM	129X42X16mm
THLED24V30W	Led transformator 24V,30W,(6 mini AMP) 160X50X18 mm	KOM	160X50X18 mm
THLED24V60W	Led transformator 24V,60W,(6 mini AMP) 190X62X21mm	KOM	190X62X21mm

Konektori za COB trake



Redni broj	Artikl	Naziv	MJ
1	THLEDK15	Led konektor za COB LED TRAKE, 15 cm	KOM
2	THLEDK200	Led konektor za COB LED TRAKE, 200 cm	KOM
3	THLEDKAMP15	Led konektor za COB LED TRAKE + mini AMP, 15 cm	KOM
4	THLEDKAMP200	Led konektor za COB LED TRAKE + mini AMP, 200 cm	KOM
5	THLEDKR	Led spoj za COB LED TRAKE produžni	KOM
6	THLEDKKUT	Led spoj za COB LED TRAKE kutni	KOM

Spliter za spajanje




Artikl	Naziv	MJ
THLEDDIST6	LED DISTRIBUTOR, crni, 6 uticnica s 2m kabela AWG24 I konektorom Mini Amp	KOM

Prekidači




Klasični on-off switch
Max 36W (12V)



Artikl	Naziv	Mj
THLEDSW	PREKIDAČ KLASIČNI do 36W, fi23mm, bijeli	KOM




Senzor pokreta vrata
Senzor pokreta ruke
Dimmer
Max 24W (12V) 48W (24V)





Artikl	Naziv	Mj
THLEDSW3U1	PREKIDAČ 3u1, 12/24V 24/48W, BIJELO, fi15/17 (TOUCH FREE, SENZOR POKRETA, DIMER)	KOM




Prekidač sakriven u LED profilu
Max 60W (12V)
48mm x 9mm (h=4,5mm)






Artikl	Naziv	Mj
THLEDSWGLAX	PREKIDAČ za GLAX PROFILE	KOM



Artikl	Naziv	Mj
THLEDSWGLAX2	PREKIDAČ za GLAX PROFILE (stavlja se u kanalicu)- konektor za COB	KOM



Artikl	Naziv	Mj
THLEDSWD	LED PREKIDAČ NA DODIR DIMMER, 12V, 20W, IP20	KOM




Artikl	Naziv	Mj
THLEDSWHID2	LED PREKIDAČ - PODPULTNI 50W, 12/24V, max deb. iverala 4cm	KOM

Prekidači


- Prekidač na daljinsko upravljanje - do 20m.
- Dimmer
- Samoljepljivo postolje s magnetskim prihvatom za daljinski
- Jednostavno uparivanje s kontolerom




Artikl	Naziv	Mj
RJLEDSWRCB	Bežični prekidač s daljinskim za LED 12V/24V, 36/72W, bijeli	KOM



Utičnice





Artikl	Naziv	MJ
THKUT.UT	KUTNA UTIČNICA, 3xSCHUKO	KOM





Artikl	Naziv	MJ
RJPODUTK-C	Podizna utičnica kvadratna, 2xschucko, 2xusb, crna	KOM
RJPODUTK-B	Podizna utičnica kvadratna, 2xschucko, 2xusb, bijela	KOM
RJPODUTK-S	Podizna utičnica kvadratna, 2xschucko, 2xusb, silver siva	KOM





Artikl	Naziv	Mj
RJPODUT100-S	Podizna utičnica ,promjer 100 mm, 4xschucko, silver	KOM





Artikl	Naziv	MJ
THLEDNEONFLEXHB	LED NEON flex 12V, hladno bijela, vodootporna, 30W, 8mm, 5m	KOM
THLEDNEONFLEXNB	LED NEON flex 12V, neutralno bijela, vodootporna, 30W, 8mm, 5m	KOM
THLEDNEONFLEXTB	LED NEON flex 12V, toplo bijela, vodootporna, 30W, 8mm, 5m	KOM
THLEDNEONFLEXMK	Montažna kopča LED NEON flex 6x12 (2kom/kpl)	KPL
THLEDNEONFLEXZK	Završna kapica LED NEON flex (2kom/kpl)	KPL




THLEDNEONFLEXMK




THLEDNEONFLEXZK





www.blazic.eu
info@blazic.hr

Blažič d.o.o.
Javorska 2, Novaki
10431 Sveta Nedelja



uvijek najnoviji katalogi

Blažič d.o.o., Javorska 2, Novaki, 10431 Sveta Nedelja, t: 01 / 6550 717 e: info@blazic.hr
Blažič d.o.o., Poslovnica Split, Alkarska 1, 21000 Split, t: 021 / 326 217 e: ante.javorcic@blazic.hr